Certificate of Analysis

ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
C8-0000052-LIC

CUSTOMER:

Pharmabinoid B.V.
Loopkantstraat 13A
The Netherlands 5405 NB Uden



SAMPLE INFORMATION

Sample No.: 1334414
Product Name: CBN Isolate
Product Type: Powder (Isolate)
Lot #: R250812MS26MS36

Date Collected: 08/27/2025
Date Received: 08/26/2025
Date Reported: 10/13/2025

TEST SUMMARY

Cannabinoid Profile:	Tested	**Microbiological Screen:**	Pass
Pesticide Residue Screen:	Pass	**Residual Solvent Screen:**	Pass
Heavy Metal Screen:	Pass	**Foreign Material:**	Pass
Mycotoxin Screen:	Pass		

Cannabinoid Profile

08/28/2025

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection 0.333 mg/g
Limit of Quantitation 1.0 mg/g

Cannabinoid	mg/g	%
Δ8-THC	<LOQ	<LOQ
Δ9-THC	ND	ND
Δ9-THCA	ND	ND
THCV	ND	ND
THCVA	ND	ND
CBD	ND	ND
CBDA	ND	ND
CBC	ND	ND
CBCA	ND	ND
CBDV	ND	ND
CBG	ND	ND
CBGA	ND	ND
CBN	997.21	99.721
Total THC	<LOQ	<LOQ
Total CBD	ND	ND
Total Cannabinoids	997.21	99.721
Sum of Cannabinoids	997.21	99.721

Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Microbiological Screen ✓ Pass

09/02/2025

Analyte	Findings	Units	Method	Limit	Status
Salmonella	Not Detected	/25g	AOAC 2016.01	ND	Pass
STEC	Not Detected	/25g	Neogen MDS STEC	ND	Pass
Listeria Species	Not Detected	/25g	AOAC 2016.07	ND	Pass
Total Aerobic Plate Count	<10	-	FDA BAM	100	Pass
Total Coliforms	<10	-	FDA BAM - ECC Agar	100	Pass
E. Coli	Not Detected	-	FDA BAM Modified	1	Pass
Total Enterobacteriaceae	<1	-	AOAC 2003.01	ND	Pass
Staphylococcus aureus	<1	-	AOAC 2003.07	ND	Pass
Total Yeast and Mold	<10	cfu/g	FDA BAM	1,000	Pass

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.